



TRUDENT CLINICS ORTHODONTIC
CONSENT

INFORMED TREATMENT CONSENT
ORTHODONTIC TREATMENT

PATIENT'S NAME _____

DEAR _____

(Patient or Parent's name)

The purpose of this document is to inform the patient and/ or the parents of what they may expect during ortho-dontic treatment to point out the potential risks or problems that may be encountered before or after treatment.

As a rule, excellent orthodontic results can be achieved with informed and co-operative patients. Thus, the follow- ing information is routinely supplied to anyone considering orthodontic treatment in our office. While recognizing the benefits of a pleasing smile and healthy teeth, you should also be aware that orthodontic treatment, like any treatment of the body, has some inherent risks and limitations. These are seldom enough to contra-indicate treatment, but should be considered in making a decision to start orthodontics. Please feel free to ask any ques- tions during the treatment.

PLEASE INITIAL HERE :

___ The patient's responsibility: It is the patient's responsibility to follow the brushing and oral hygiene instruc- tions that are given, so that no harm will come to the teeth and surrounding tissues; to come to all appointments on the proper day and time; to adhere to the list of food restrictions in order to keep from damaging the teeth and orthodontic appliance; to wear headgear, elastics and retainers, if they are necessary, so that treatment time will beas short as possible and so we can achieve the best results; and to visit the general dentist at least every six monthsfor an examination and cleaning. There will be additional orthodontic charges for replacement of appliances (such as retainers or braces) that are lost or damaged due to repeated patient neglect, or any excessive extension of treatment due to lack of patient co- operation. 100% patient co-operation is very, very important.

___ Oral hygiene: Decalcification (permanent markings), decay, or gum disease can occur if patients do not brush their teeth properly and thoroughly during treatment period. Excellent oral hygiene and plaque removal is a must. Sugars and between meal snacks should be reduced as much as possible. Visit your family dentist regularly.

A non-vital or dead tooth is a possibility: A tooth that has been traumatized from a deep filling or even a minor blow can die over a long period of time with or without orthodontic treatment. An undetected non-vital tooth mayflare up during orthodontic movement, requiring endodontic (root canal) treatment to maintain it.

___ Root resorption: In some cases, the root ends of the teeth are shortened during treatment. This is called root resorption.



Under healthy circumstances the shortened roots are no disadvantage. However, in the event of gum disease in later life the root resorption may reduce the longevity of the affected teeth. It should be noted that not all root resorption arises from orthodontic treatment. Trauma, cuts, impaction, endocrine disorders, idiopathic reasons can also cause root resorption.

TRUDENT CLINICS

___ Growth issues: Occasionally a person who has grown normally and in average proportions may not continue to do so. If growth becomes disproportionate, the jaw relation can be affected and original treatment objectives may have to be compromised.

Skeletal growth disharmony is a biologic process beyond the orthodontist's control. Some orthodontic patients will require oral surgery to obtain a reasonable treatment result to complete their case. Most patients we can inform ahead of time prior to starting any treatment that this is necessary. Some patients with poor growth, poor response to treatment, or poor co-operation may also require oral surgery to complete their cases.

___ Gum tissues: The bone-gum relationship around teeth is always dependent upon whether there is enough bone to support the gum tissue properly. Many times when very crowded teeth are straightened there is a lack of bone and supporting gum tissues

surrounding the teeth. Therefore, the gum tissue contour and support may not be adequate and require periodontal intervention.

___ Treatment time: The total time for treatment can be delayed beyond our estimate. Lack of, or poorly directed facial growth, poor elastic wear, or headgear co-operation, broken appliances and missed appointments are all important factors that could lengthen treatment time and affect the quality of the result.

___ Extra-oral appliances: Instructions must be followed very carefully. A Facebow or Headgear that is pulled outward while elastic force is attached can cause damage to the face or eyes. However, we use appliances with a "snap away" safety feature to reduce this possibility. Always remember to release the forces before removing the facebow from your teeth. To reduce the possibility of injury, contact sports and similar activities should not be performed while a headgear is worn.

___ TMJ: There is a risk that problems may occur in the temporomandibular joints (TMJ). Although this is rare, it is a possibility.

Tooth alignment or bite correction sometimes can improve tooth related causes of TMJ pain, but this is not in all cases. Tension appears to play a role in the frequency and severity of joint pains, and there are many other causes of TMJ dysfunction.

___ Very unusual occurrences: Swallowed appliances, chipped teeth, dislodged restorations and allergies to latex or nickel rarely occur but are possible.

___ Termination of treatment: It is understood that treatment can be terminated for failure to cooperate, missing appointments, not wearing appliances, excessive breakage, failure to keep financial commitments, relocation, personal conflicts or for any other reason the doctor feels necessary. If termination is necessary, the patient or parent will be thoroughly informed of the reasons and will be given ample time to locate another orthodontist to continue treatment or the braces will be removed.



____ Expectations: All orthodontic patients can expect improvement with their particular problem, but, in many cases, absolute perfection is impossible due to lack of muscle balance, tooth shapes and sizes and varying degrees of co-operation during treatment, along with heredity aspects that affects everyone's specific treatment results.

____ Relapse: Teeth have a tendency to return to their original position after orthodontic treatment. This is called relapse. Very severe problems have a higher tendency to relapse and the most common area for relapse is the lower front teeth. After band removal, a positioner or retainers are placed to minimize relapse. Full co-operation in wearing these appliances is vital. We will make our correction to the highest standards and in many cases over correct in order to accommodate the rebound tendencies. When retention is discontinued some relapse is still possible.

____ Our treatment goal: The best treatment possible

Our treatment objective is to always obtain the best treatment results possible. However, orthodontics is not a perfect science and, in dealing with problems of growth and development, genetics, stress, and patient cooperation, achieving an optimal result is not always human possible. No guarantees can be given as to the orthodontic finished result, as the retention and results depend too much upon patient cooperation and other factors beyond the dentist control.

____ Propose treatment plan:

a. Active treatment plan

Phase 1

Phase 2

Phase 3

Phase 4

b. Retention Phase

Dr. Murat Sutpideler and Dr. Tulay Odemis has thoroughly explained to me the proposed treatment plan, the alternative of treatment and the consequences if no treatment is done. I concur that I have been involved in the formation of the proposed treatment plan and that I am in agreement with the plan as described above.



____ Qualification: I acknowledge that Dr. Tulay Odemis is a general dentist who has taken numerous master courses in orthodontics. Dr Tulay Odemis and Dr Dt Murat Sutpideler (DDS, PhD) attempts to stay abreast of the newer techniques in orthodontics, and TMJ, in an effort to provide the best possible treatment to her patients.

I consent to the taking of photographs, study models and x-rays before, during and after orthodontic treatment to assist in the planning and progress treatment objectives. If the case proves to be of special scientific interest, the doctor reserves the right to present the records in scientific papers or demonstrations to the profession. I certify that I have read or had read to me the contents of this form and do realize the risks and limitations involved, and consent to orthodontic treatment.

Patient/Parent/Guardian Signature

Date

Dr. Name / Signature _____ Date

THANK YOU
FOR CHOOSING TRUDENT CLINICS
Dr Murat Sutpideler & Team